

SAFETY DATA SHEET

1. Identification

| 1. Identification | | | |
|---------------------------------|-----------------------------------|-------------------|---|
| Product identifier | KA-88 | | |
| Other means of identification | | | |
| Product Code | 1056 | | |
| Recommended use | Not available. | | |
| Recommended restrictions | None known. | | |
| Manufacturer/Importer/Supplier/ | Distributor information | | |
| Manufacturer | | | |
| Company name | Malco Products, Inc. | | |
| Address | 361 Fairview Ave | | |
| | Barberton, OH 44203 | | |
| | United States | | |
| Telephone | Phone | 800-253-2526 | |
| | Fax | 330-753-2025 | |
| Website | www.malcopro.com | | |
| E-mail | msdsinfo@malcopro.com | | |
| Contact person | Technical Department | 4 000 404 0000 | |
| Emergency phone number | Phone | 1-800-424-9300 | |
| 2. Hazard(s) identification | | | |
| Physical hazards | Not classified. | | |
| Health hazards | Acute toxicity, oral | | Category 4 |
| | Skin corrosion/irritation | | Category 1A |
| | Serious eye damage/eye irritation | | Category 2 |
| | Specific target organ toxicity | , single exposure | Category 3 respiratory tract irritation |
| Environmental hazards | Not classified. | - | |
| OSHA defined hazards | Not classified. | | |
| | Not slabslined. | | |

Label elements



| | ✓ ✓ |
|--|--|
| Signal word | Danger |
| Hazard statement | Harmful if swallowed. Causes severe skin burns and eye damage. Causes serious eye irritation. May cause respiratory irritation. |
| Precautionary statement | |
| Prevention | Do not breathe mist or vapor. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection. |
| Response | If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If inhaled: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. If eye irritation persists: Get medical advice/attention. Wash contaminated clothing before reuse. |
| Storage | Store in a well-ventilated place. Keep container tightly closed. Store locked up. |
| Disposal | Dispose of contents/container in accordance with local/regional/national/international regulations. |
| Hazard(s) not otherwise classified (HNOC) | None known. |

9.96% of the mixture consists of component(s) of unknown acute dermal toxicity. 7.9% of the mixture consists of component(s) of unknown acute inhalation toxicity. 13.25% of the mixture consists of component(s) of unknown acute hazards to the aquatic environment. 14.67% of the mixture consists of component(s) of unknown long-term hazards to the aquatic environment.

3. Composition/information on ingredients

Mixtures

| Chemical name | Common name and synonyms | CAS number | % |
|--|--------------------------|------------|-----------|
| 2-(2-Butoxyethoxy)ethanol | | 112-34-5 | 3 - < 5 |
| Amides, Coco, N,n-bis(hydroxyethyl) | | 68603-42-9 | 1 - < 3 |
| DISODIUM METASILICATE | | 6834-92-0 | 1 - < 3 |
| Sodium Hydroxide | | 1310-73-2 | 1 - < 3 |
| Tetrasodium Ethylenediaminetetraacetate | | 64-02-8 | 1 - < 3 |
| Methanol | | 67-56-1 | < 0.2 |
| Tetrasodium Pyrophosphate | | 7722-88-5 | < 0.2 |
| Other components below reportabl | e levels | | 80 - < 90 |

*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures

| Inhalation | Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell. |
|--|--|
| Skin contact | Take off immediately all contaminated clothing. Rinse skin with water/shower. Call a physician or poison control center immediately. Chemical burns must be treated by a physician. Wash contaminated clothing before reuse. |
| Eye contact | Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician or poison control center immediately. |
| Ingestion | Call a physician or poison control center immediately. Rinse mouth. Do not induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. |
| Most important symptoms/effects, acute and delayed | Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. May cause respiratory irritation. |
| Indication of immediate medical attention and special treatment needed | Provide general supportive measures and treat symptomatically. Chemical burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Keep victim warm. Keep victim under observation. Symptoms may be delayed. |
| General information | If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. |
| 5. Fire-fighting measures | |
| Suitable extinguishing media | Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2). |
| Unsuitable extinguishing media | Do not use water jet as an extinguisher, as this will spread the fire. |
| Specific hazards arising from the chemical | During fire, gases hazardous to health may be formed. |

Special protective equipment Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Move containers from fire area if you can do so without risk.

Use standard firefighting procedures and consider the hazards of other involved materials. No unusual fire or explosion hazards noted.

6. Accidental release measures

and precautions for firefighters

Fire fighting

Personal precautions, protective equipment and emergency procedures

equipment/instructions Specific methods

General fire hazards

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not breathe mist or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

| Methods and materials for containment and cleaning up | Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water. |
|--|---|
| | Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination. |
| | Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. |
| Environmental precautions | Avoid discharge into drains, water courses or onto the ground. |
| 7. Handling and storage | |
| Precautions for safe handling | Do not breathe mist or vapor. Do not get in eyes, on skin, or on clothing. Do not taste or swallow. Avoid prolonged exposure. When using, do not eat, drink or smoke. Provide adequate ventilation. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Observe good industrial hygiene practices. |
| Conditions for safe storage, including any incompatibilities | Store locked up. Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS). |

8. Exposure controls/personal protection

Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

| Components | | Туре | | V | alue | |
|---|-------------------|---------------|----------|----------------|-----------------------|-------------------------------|
| Methanol (CAS 67-56-1) | | PEL | | 2 | 60 mg/m3 | |
| · · · · · | | | | 2 | 00 ppm | |
| Sodium Hydroxide (CAS 1310-73-2) | | PEL | | 2 | mg/m3 | |
| US. ACGIH Threshold Li | mit Values | | | | | |
| Components | | Туре | | v | alue | Form |
| 2-(2-Butoxyethoxy)ethano (CAS 112-34-5) | I | TWA | | 1 | 0 ppm | Inhalable fraction and vapor. |
| Methanol (CAS 67-56-1) | | STEL | | 2 | 50 ppm | |
| | | TWA | | 2 | 00 ppm | |
| Sodium Hydroxide (CAS 1310-73-2) | | Ceiling | | 2 | mg/m3 | |
| US. NIOSH: Pocket Guid | e to Chemical Ha | | | | | |
| Components | | Туре | | V | alue | |
| Methanol (CAS 67-56-1) | | STEL | | 3: | 25 mg/m3 | |
| | | | | 2 | 50 ppm | |
| | | TWA | | 20 | 60 mg/m3 | |
| | | | | | 00 ppm | |
| Sodium Hydroxide (CAS 1310-73-2) | | Ceiling | | 2 | mg/m3 | |
| Tetrasodium Pyrophosphate (CAS 7722-88-5) | | TWA | | 5 | mg/m3 | |
| ogical limit values | | | | | | |
| ACGIH Biological Expos | ure Indices | | | | | |
| Components | Value | Determina | ant | Specimen | Sampling [•] | Time |
| Methanol (CAS 67-56-1) | 15 mg/l | Methanol | | Urine | * | |
| * - For sampling details, pl | ease see the sou | rce document. | | | | |
| osure guidelines | | | | | | |
| US - California OELs: Sk | in designation | | | | | |
| Methanol (CAS 67-56 | -1) | | Can be a | bsorbed thro | ugh the skin. | |
| US - Minnesota Haz Sub | s: Skin designati | on applies | | | | |
| Methanol (CAS 67-56 | | : | Skin des | ignation appli | es. | |
| US - Tennessee OELs: S | kin designation | | | | | |
| Methanol (CAS 67-56 | -1) | | Can be a | bsorbed thro | uah the skin. | |

| US ACGIH Threshold Limit \ | /alues: Skin designation |
|------------------------------------|--|
| Methanol (CAS 67-56-1) | Can be absorbed through the skin. Chemical Hazards: Skin designation |
| Methanol (CAS 67-56-1) | Can be absorbed through the skin. |
| Appropriate engineering controls | Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product. |
| Individual protection measures, | such as personal protective equipment |
| Eye/face protection | Wear safety glasses with side shields (or goggles) and a face shield. Face shield is recommended. |
| Skin protection Hand protection | Wear appropriate chemical resistant gloves. |
| Other | Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended. |
| Respiratory protection | In case of insufficient ventilation, wear suitable respiratory equipment. Chemical respirator with organic vapor cartridge. |
| Thermal hazards | Wear appropriate thermal protective clothing, when necessary. |
| General hygiene considerations | Keep away from food and drink. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. |

9. Physical and chemical properties

| Appearance | Clear. | |
|--|----------------------------------|--|
| Physical state | Liquid. | |
| Form | Liquid. | |
| Color | Purple | |
| Odor | Solvent. | |
| Odor threshold | Not available. | |
| рН | 13 | |
| Melting point/freezing point | 714.16 °F (378.98 °C) estimated | |
| Initial boiling point and boiling range | 1081.16 °F (582.87 °C) estimated | |
| Flash point | Not available. | |
| Evaporation rate | Not available. | |
| Flammability (solid, gas) | Not applicable. | |
| Upper/lower flammability or explosive limits | | |
| Flammability limit - lower (%) | Not available. | |
| Flammability limit - upper (%) | Not available. | |
| Explosive limit - lower (%) | Not available. | |
| Explosive limit - upper (%) | Not available. | |
| Vapor pressure | 0.001 hPa estimated | |
| Vapor density | Not available. | |
| Relative density | Not available. | |
| Solubility(ies) | | |
| Solubility (water) | Not available. | |
| Partition coefficient (n-octanol/water) | Not available. | |
| Auto-ignition temperature | Not available. | |
| Decomposition temperature | Not available. | |
| Viscosity | Not available. | |

| Other information | |
|----------------------|-----------------|
| Density | 8.93 lb/gal |
| Explosive properties | Not explosive. |
| Oxidizing properties | Not oxidizing. |
| VOC | 4.5 % by weight |

10. Stability and reactivity

| Reactivity | Reacts violently with strong acids. This product may react with oxidizing agents. | | |
|---------------------------------------|---|--|--|
| Chemical stability | Material is stable under normal conditions. | | |
| Possibility of hazardous reactions | No dangerous reaction known under conditions of normal use. | | |
| Conditions to avoid | Contact with incompatible materials. Do not mix with other chemicals. | | |
| Incompatible materials | Strong acids. Oxidizing agents. | | |
| Hazardous decomposition products | No hazardous decomposition products are known. | | |

11. Toxicological information

| Information on likely routes of exposure | | |
|--|---|--|
| Inhalation | May cause irritation to the respiratory system. Prolonged inhalation may be harmful. | |
| Skin contact | Causes severe skin burns. | |
| Eye contact | Causes serious eye damage. | |
| Ingestion | Causes digestive tract burns. Harmful if swallowed. | |
| Symptoms related to the physical, chemical and toxicological characteristics | Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. May cause respiratory irritation. | |

Information on toxicological effects

Acute toxicity

In high concentrations, vapors are anesthetic and may cause headache, fatigue, dizziness and central nervous system effects. Harmful if swallowed.

| Components | Species | Test Results | |
|---|--|--|--|
| 2-(2-Butoxyethoxy)ethanol (CAS 1 | 12-34-5) | | |
| Acute | | | |
| Dermal | | | |
| LD50 | Rabbit | 2700 mg/kg | |
| Oral | | | |
| LD50 | Rat | 4500 mg/kg | |
| Skin corrosion/irritation | Causes severe skin burns and eye damage. | | |
| Serious eye damage/eye irritation | Causes serious eye damage. | | |
| Respiratory or skin sensitization | ı | | |
| Respiratory sensitization | Not a respiratory sensitizer. | | |
| Skin sensitization | This product is not expected to cause skin sensitization. | | |
| Germ cell mutagenicity | No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic. | | |
| Carcinogenicity | Risk of cancer cannot be excluded with prolonged exposure. | | |
| IARC Monographs. Overall | Evaluation of Carcinogenicity | , | |
| | /droxyethyl) (CAS 68603-42-9) d Substances (29 CFR 1910.1 | 2B Possibly carcinogenic to humans. 001-1052) | |
| Not regulated. US. National Toxicology Pro | ogram (NTP) Report on Carciı | nogens | |
| Not listed. | | | |
| Reproductive toxicity | This product is not expected | to cause reproductive or developmental effects. | |
| Specific target organ toxicity - single exposure | May cause respiratory irritation. | | |

| Specific target organ toxicity - repeated exposure | Not classified | Not classified. | |
|--|--|--|----------------------------|
| Aspiration hazard | Not an aspira | ation hazard. | |
| Chronic effects | Prolonged inhalation may be harmful. Prolonged exposure may cause chronic effects. | | |
| 12. Ecological informatio | n | | |
| Ecotoxicity | | The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment. | |
| Components | | Species | Test Results |
| 2-(2-Butoxyethoxy)ethanol (0 | CAS 112-34-5) | | |
| Aquatic | | | |
| Fish | LC50 | Bluegill (Lepomis macrochirus) | 1300 mg/l, 96 hours |
| DISODIUM METASILICATE | (CAS 6834-92-0 | 0) | |
| Aquatic | | | |
| Crustacea | EC50 | Water flea (Ceriodaphnia dubia) | 0.28 - 0.57 mg/l, 48 hours |
| Fish | LC50 | Western mosquitofish (Gambusia affinis) | 1800 mg/l, 96 hours |
| Methanol (CAS 67-56-1) | | · · · · · · · · · · · · · · · · · · · | 3 / |
| Aquatic | | | |
| Crustacea | EC50 | Water flea (Daphnia magna) | > 10000 mg/l, 48 hours |
| Fish | LC50 | Fathead minnow (Pimephales promelas) | 0 |
| Sodium Hydroxide (CAS 131 | | | |
| Aquatic | 0-73-2) | | |
| Fish | LC50 | Western mosquitofish (Gambusia affinis) | 125 mg/L 96 hours |
| | | , | 120 mg/l, 30 hours |
| Tetrasodium Ethylenediamin Aquatic | | AS 04-02-0) | |
| Fish | LC50 | Bluegill (Lepomis macrochirus) | 472 - 500 mg/l, 96 hours |
| | | , | 472 - 300 mg/l, 30 hours |
| Tetrasodium Pyrophosphate Aquatic | (CAS 1122-00- | 5) | |
| Fish | LC50 | Western mosquitofish (Gambusia affinis) | 1380 ma/l. 96 hours |
| Persistence and degradability | No data is av | vailable on the degradability of this product. | |
| Bioaccumulative potential | No data avai | | |
| Partition coefficient n-octa | | | |
| 2-(2-Butoxyethoxy)ethanol | nor water (log | 0.56 | |
| Methanol | | -0.77 | |
| Mobility in soil | No data avai | lable. | |
| Other adverse effects | | No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component. | |
| 13. Disposal consideration | ons | | |
| Disposal instructions | | Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations. | |
| Local disposal regulations | Dispose in accordance with all applicable regulations. | | |
| Hazardous waste code | | The waste code should be assigned in discussion between the user, the producer and the waste disposal company. | |
| Waste from residues / unused products | Dispose of in product resid | Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions). | |
| Contaminated packaging | | ed containers may retain product residue, fol pty containers should be taken to an approv | |

14. Transport information

DOT

Not regulated as dangerous goods.

ΙΑΤΑ

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Not established. Annex II of MARPOL 73/78 and the IBC Code

15. Regulatory information

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

| Not regulated. | |
|--|---------|
| CERCLA Hazardous Substance List (40 CFR 302.4) | |
| Methanol (CAS 67-56-1) | Listed. |
| Sodium Hydroxide (CAS 1310-73-2) | Listed. |
| | |

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

| SARA 311/312 Hazardous chemical | Yes |
|---------------------------------|-------------------|
| Classified hazard | Acute toxicity (a |

| Classified hazard | Acute toxicity (any route of exposure) |
|-------------------|--|
| categories | Skin corrosion or irritation |
| C | Serious eye damage or eye irritation |
| | Respiratory or skin sensitization |
| | Reproductive toxicity |
| | Specific target organ toxicity (single or repeated exposure) |
| | |

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

| Clean Air Act (CAA) Section | n 112 Hazardous Air Pollutants (HAPs) List |
|-----------------------------------|--|
| Methanol (CAS 67-56-1) | |
| Clean Air Act (CAA) Section | n 112(r) Accidental Release Prevention (40 CFR 68.130) |
| Not regulated. | |
| Safe Drinking Water Act (SDWA) | Not regulated. |
| S state regulations | |

US state regulations

California Proposition 65

WARNING: WARNING: This product contains a chemical known to the State of California to cause cancer. This product can expose you to chemicals including Methanol, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

California Proposition 65 - CRT: Listed date/Developmental toxin

Listed: March 16, 2012

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))

Amides, Coco, N,n-bis(hydroxyethyl) (CAS 68603-42-9) Methanol (CAS 67-56-1) Sodium Hydroxide (CAS 1310-73-2)

International Inventories

| Country(s) or region | Inventory name | On inventory (yes/no)* |
|----------------------|--|------------------------|
| Australia | Australian Inventory of Chemical Substances (AICS) | Yes |

| Country(s) or region | Inventory name On inver | tory (yes/no)* |
|-----------------------------|--|----------------|
| Canada | Domestic Substances List (DSL) | Yes |
| Canada | Non-Domestic Substances List (NDSL) | No |
| China | Inventory of Existing Chemical Substances in China (IECSC) | Yes |
| Europe | European Inventory of Existing Commercial Chemical Substances (EINECS) | No |
| Europe | European List of Notified Chemical Substances (ELINCS) | No |
| Japan | Inventory of Existing and New Chemical Substances (ENCS) | No |
| Korea | Existing Chemicals List (ECL) | Yes |
| New Zealand | New Zealand Inventory | Yes |
| Philippines | Philippine Inventory of Chemicals and Chemical Substances (PICCS) | Yes |
| Taiwan | Taiwan Toxic Chemical Substances (TCS) | Yes |
| United States & Puerto Rico | Toxic Substances Control Act (TSCA) Inventory | Yes |
| | and the second | |

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

| Issue date Revision date Version # | 08-31-2014 10-18-2018 07 |
|--|--|
| Disclaimer | Malco Products, Inc. cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. The information in the sheet was written based on the best knowledge and experience currently available. |
| Revision information | This document has undergone significant changes and should be reviewed in its entirety. |