SAFETY DATA SHEET

1. Identification

Product identifier	Fast Shot-Non acid Wheel	Cleaner	
Other means of identification			
Product Code	1880		
Recommended use	Wheel Cleaner		
Recommended restrictions	None known.		
Manufacturer/Importer/Supplier/Distributor information			
Manufacturer			
Company name	Malco Products, Inc.		
Address	361 Fairview Ave		
	Barberton, OH 44203		
	United States		
Telephone	Phone	800-253-2526	
	Fax	330-753-2025	
Website	www.malcopro.com		
E-mail	msdsinfo@malcopro.com		
Contact person	Technical Department		
Emergency phone number	Phone	1-800-424-9300	

2. Hazard(s) identification

Physical hazards	Not classified.	
Health hazards	Acute toxicity, oral	Category 4
	Skin corrosion/irritation	Category 1A
	Serious eye damage/eye irritation	Category 1
	Carcinogenicity	Category 2
Environmental hazards	Not classified.	
OSHA defined hazards	Not classified.	

Label elements



Signal word	Danger
Hazard statement	Harmful if swallowed. Causes severe skin burns and eye damage. Causes serious eye damage. Suspected of causing cancer.
Precautionary statement	
Prevention	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe mist/vapors. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Wear protective gloves/protective clothing/eye protection/face protection.
Response	Rinse mouth. If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If inhaled: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. Wash contaminated clothing before reuse.
Storage	Store locked up.
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.
Hazard(s) not otherwise classified (HNOC)	None known.

12.53% of the mixture consists of component(s) of unknown acute dermal toxicity. 8.15% of the mixture consists of component(s) of unknown acute inhalation toxicity. 12.27% of the mixture consists of component(s) of unknown acute hazards to the aquatic environment. 16.47% of the mixture consists of component(s) of unknown long-term hazards to the aquatic environment.

3. Composition/information on ingredients

Chemical name	Common name and synonyms	CAS number	%
Sodium Dodecylbenzenesulfonate		25155-30-0	5 - < 10
sodium;hydroxide		1310-73-2	5 - < 10
sodium;3,4-dimethylbenzenesulfon ate		1300-72-7	3 - < 5
1-propoxypropan-2-ol		1569-01-3	1 - < 3
Amides, Coco, N,n-bis(hydroxyethyl)		68603-42-9	1 - < 3
2-(2-hydroxyethylamino)ethanol		111-42-2	< 0.2
Other components below reportable	evels		70 - < 80

*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures

Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.
Skin contact	Take off immediately all contaminated clothing. Rinse skin with water/shower. Call a physician or poison control center immediately. Chemical burns must be treated by a physician. Wash contaminated clothing before reuse.
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician or poison control center immediately.
Ingestion	Call a physician or poison control center immediately. Rinse mouth. Do not induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.
Most important symptoms/effects, acute and delayed	Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Chemical burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Keep victim warm. Keep victim under observation. Symptoms may be delayed.
General information	IF exposed or concerned: Get medical advice/attention. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.
5. Fire-fighting measures	

Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire fighting equipment/instructions	Move containers from fire area if you can do so without risk.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not breathe mist/vapors. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.
	Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.
Environmental precautions	Avoid discharge into drains, water courses or onto the ground.
7. Handling and storage	
Precautions for safe handling	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe mist/vapors. Do not get in eyes, on skin, or on clothing. Do not taste or swallow. Avoid prolonged exposure. When using, do not eat, drink or smoke. Pregnant or breastfeeding women must not handle this product. Should be handled in closed systems, if possible. Provide adequate ventilation. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Observe good industrial hygiene practices.
Conditions for safe storage, including any incompatibilities	Store locked up. Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

Components	Туре		Value	
sodium;hydroxide (CAS 1310-73-2)	PEL		2 mg/m3	
US. ACGIH Threshold Limit	Values			
Components	Туре		Value	Form
2-(2-hydroxyethylamino)eth anol (CAS 111-42-2)	TWA		1 mg/m3	Inhalable fraction and vapor.
sodium;hydroxide (CAS 1310-73-2)	Ceiling		2 mg/m3	
US. NIOSH: Pocket Guide to	Chemical Hazards			
Components	Туре		Value	
2-(2-hydroxyethylamino)eth anol (CAS 111-42-2)	TWA		15 mg/m3	
			3 ppm	
sodium;hydroxide (CAS 1310-73-2)	Ceiling		2 mg/m3	
logical limit values	No biological exposure limits	noted for the ingred	dient(s).	
oosure guidelines				
US - California OELs: Skin o	lesignation			
2-(2-hydroxyethylamino) US ACGIH Threshold Limit		Can be absorbed	d through the skin.	
2-(2-hydroxyethylamino)	thanol (CAS 111-42-2)	Danger of cutane	eous absorption	
propriate engineering trols	Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product.			
ividual protection measures,	such as personal protective	equipment		
Eye/face protection	Chemical respirator with orga	nic vapor cartridge	and full facepiece.	
Skin protection Hand protection	Wear appropriate chemical re	esistant gloves.		
Other	Wear appropriate chemical re	sistant clothing. Us	se of an impervious	apron is recommended.
		5	•	-

Thermal hazards

General hygiene considerations

Wear appropriate thermal protective clothing, when necessary.

Observe any medical surveillance requirements. Keep away from food and drink. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance	
Physical state	Liquid.
Form	Liquid.
Color	Dark brown
Odor	Butyl
Odor threshold	Not available.
рН	> 13
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not available.
Flash point	Not available.
Evaporation rate	Not available.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or exp	losive limits
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Density	9.26 lb/gal
Explosive properties	Not explosive.
Oxidizing properties	Not oxidizing.
Specific gravity	1.08
VOC	2 % w/w estimated
10. Stability and reactivity	

10. Stability and reactivity

Reactivity	Reacts violently with strong acids. This product may react with oxidizing agents.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	Hazardous polymerization does not occur.
Conditions to avoid	Contact with incompatible materials. Do not mix with other chemicals.
Incompatible materials	Strong acids. Oxidizing agents.
Hazardous decomposition products	No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Inhalation	May cause irritation to the respiratory system. Prolonged inhalation may be harmful.
Skin contact	Causes severe skin burns.
Eye contact	Causes serious eye damage.

Symptoms related to the
physical, chemical and
toxicological characteristicsBurning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may
include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including
blindness could result.

Information on toxicological effects

Acute toxicity	Harmful if swallowed.	
Components	Species	Test Results
-propoxypropan-2-ol (CAS 1569-	01-3)	
<u>Acute</u>		
Dermal		
LD50	Rabbit	3.55 g/kg
Oral	5.4	0.0. <i>"</i>
LD50	Rat	2.8 g/kg
-(2-hydroxyethylamino)ethanol (C	CAS 111-42-2)	
<u>Acute</u> Oral		
LD50	Rat	710 mg/kg
mides, Coco, N,n-bis(hydroxyeth		
<u>Acute</u>	yi) (0/10 00000 42 0)	
Oral		
LD50	Rat	> 5000 mg/kg
kin corrosion/irritation	Causes severe skin burns and eye dama	age.
Serious eye damage/eye	Causes serious eye damage.	
rritation		
Respiratory or skin sensitization		
Respiratory sensitization	Not a respiratory sensitizer.	
Skin sensitization	This product is not expected to cause ski	
Serm cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.	
Carcinogenicity	Risk of cancer cannot be excluded with prolonged exposure.	
IARC Monographs. Overall	Evaluation of Carcinogenicity	
		bly carcinogenic to humans. bly carcinogenic to humans.
Not listed.	ogram (NTP) Report on Carcinogens	
Not listed.		
eproductive toxicity	Not available.	
pecific target organ toxicity - ingle exposure	Not classified.	
pecific target organ toxicity - epeated exposure	Not classified.	
spiration hazard	Not an aspiration hazard.	
Chronic effects	Prolonged inhalation may be harmful. Prolonged exposure may cause chronic effects.	
2. Ecological information	1	
Ecotoxicity		nentally hazardous. However, this does not exclude the n have a harmful or damaging effect on the environment
Components	Species	Test Results
2-(2-hydroxyethylamino)ethar Aquatic <i>Acute</i>	nol (CAS 111-42-2)	

Water flea (Ceriodaphnia dubia)

Crustacea

EC50

>= 61.8 - <= 86.04 mg/l, 48 hours

Components		Species	Test Results
Fish	LC50	Fathead minnow (Pimephales promelas)	100 mg/l, 96 hours
Sodium Dodecylbenzenesulf	onate (CAS 2	25155-30-0)	
Aquatic			
Acute			
Crustacea	EC50	Water flea (Ceriodaphnia dubia)	>= 3.26 - <= 14.51 mg/l, 48 hours
Fish	LC50	Rainbow trout,donaldson trout (Oncorhynchus mykiss)	>= 3.2 - <= 5.6 mg/l, 96 hours
sodium;hydroxide (CAS 1310)-73-2)		
Aquatic			
Acute			
Fish	LC50	Western mosquitofish (Gambusia affinis)	125 mg/l, 96 hours
ersistence and degradability	No data is	available on the degradability of any ingredie	nts in the mixture.
oaccumulative potential			
Partition coefficient n-octa	nol / water (l	og Kow)	
1-propoxypropan-2-ol		0.621	
2-(2-hydroxyethylamino)etha Sodium Dodecylbenzenesulf		1.43	
obility in soil		nate 0.45 No data available.	
ther adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.		
3. Disposal consideratio	•		
sposal instructions	Dispose of this material and its container to hazardous or special waste collection point. Incinerate the material under controlled conditions in an approved incinerator. Dispose of contents/container in accordance with local/regional/national/international regulations.		
ocal disposal regulations	Dispose in accordance with all applicable regulations.		
azardous waste code	D002: Waste Corrosive material [pH <=2 or =>12.5, or corrosive to steel] The waste code should be assigned in discussion between the user, the producer and the waste disposal company.		
aste from residues / unused oducts	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).		
ontaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.		
4. Transport informatior	ı		
от			
UN number	UN1760		
UN proper shipping name Transport hazard class(es)	CORROSIVE LIQUID, N.O.S (CONTAINS SODIUM HYDROXIDE)		

UN proper shipping name	CORROSIVE LIQUID, N.O.S (CONTAINS SODIUM HYDROXIDE)
Transport hazard class(es)	
Class	8
Subsidiary risk	-
Label(s)	8
Packing group	II
Environmental hazards	
Marine pollutant	No.
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.
Special provisions	A6, T14, TP2, TP27
Packaging exceptions	None
Packaging non bulk	201
Packaging bulk	243
ΙΑΤΑ	
UN number	UN1760
UN proper shipping name	CORROSIVE LIQUID, N.O.S (CONTAINS SODIUM HYDROXIDE)
Transport hazard class(es)	
Class	8

Subsidiary risk	-
Packing group	1
Environmental hazards	No.
ERG Code	8L
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.
Other information	
Passenger and cargo aircraft	Allowed with restrictions.
Cargo aircraft only	Allowed with restrictions.
IMDG	
UN number	UN1760
UN proper shipping name	CORROSIVE LIQUID, N.O.S (CONTAINS SODIUM HYDROXIDE)
Transport hazard class(es)	
Class	8
Subsidiary risk	-
Packing group	1
Environmental hazards	
Marine pollutant	No.
EmS	F-A, S-B
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.
Transport in bulk according to	Not established.
Annex II of MARPOL 73/78 and the IBC Code	
DOT	



IATA; IMDG



15. Regulatory information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

Listed. Listed. Listed.

Toxic Substances Control Act (TSCA)

One or more components of the mixture are not on the TSCA 8(b) inventory or are designated "inactive".

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

2-(2-hydroxyethylamino)ethanol (CAS 111-42-2)
Sodium Dodecylbenzenesulfonate (CAS 25155-30-0)
sodium;hydroxide (CAS 1310-73-2)

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulate	d Substances (29 CFR 1910.1001-1053)
Not listed.	· · · · · · · · · · · · · · · · · · ·
Superfund Amendments and Re	eauthorization Act of 1986 (SARA)
SARA 302 Extremely hazard	dous substance
Not listed.	
SARA 311/312 Hazardous chemical	Yes
Classified hazard categories	Acute toxicity (any route of exposure) Skin corrosion or irritation Serious eye damage or eye irritation Reproductive toxicity
SARA 313 (TRI reporting) Not regulated.	
Other federal regulations	
Clean Air Act (CAA) Sectior	n 112 Hazardous Air Pollutants (HAPs) List
2-(2-hydroxyethylamino)	ethanol (CAS 111-42-2)
Clean Air Act (CAA) Sectior	n 112(r) Accidental Release Prevention (40 CFR 68.130)
Not regulated.	
Safe Drinking Water Act	Not regulated.

(SDWA)

(SDWA)

US state regulations

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))

2-(2-hydroxyethylamino)ethanol (CAS 111-42-2) Amides, Coco, N,n-bis(hydroxyethyl) (CAS 68603-42-9) sodium;hydroxide (CAS 1310-73-2)

California Proposition 65



WARNING: This product can expose you to 2-(2-hydroxyethylamino)ethanol, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

California Proposition 65 - CRT: Listed date/Carcinogenic substance

2-(2-hydroxyethylamino)ethanol (CAS 111-42-2) Listed: June 22, 2012

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Industrial Chemicals (AICIS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date	01-23-2018
Revision date	03-03-2022
Version #	10

Disc	aimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. Malco Products, Inc. cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use.

Revision information

on This document has undergone significant changes and should be reviewed in its entirety.