

# SAFETY DATA SHEET

# 1. Identification

Product identifier	Prizm Gold		
Other means of identification			
Product Code	2611		
Recommended use	Degreaser		
<b>Recommended restrictions</b>	None known.		
Manufacturer/Importer/Supplier/	Distributor information		
Manufacturer			
Company name Address	Malco Products, Inc. 361 Fairview Ave Barberton, OH 44203 United States		
Telephone	Phone	800-253-2526	
Website E-mail Contact person Emergency phone number	Fax www.malcopro.com msdsinfo@malcopro.com Technical Department Phone	330-753-2025 1-800-424-9300	
2. Hazard(s) identification			
Physical hazards	Not classified.		
Health hazards	Acute toxicity, oral		Category 4
	Skin corrosion/irritation		Category 1
	Serious eye damage/eye irri	tation	Category 1
	Specific target organ toxicity	, single exposure	Category 3 respiratory tract irritation
Environmental hazards	Not classified.		
OSHA defined hazards	Not classified.		
Label elements	<b>^ ^</b>		



Danger

# Signal word Hazard statement

Harmful if swallowed. Causes severe skin burns and eye damage. Causes serious eye damage. May cause respiratory irritation.

Precautionary statement Prevention

Response

Do not breathe mist or vapor. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection.

If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all

contaminated clothing. Rinse skin with water/shower. If inhaled: Remove person to fresh air and<br/>keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes.<br/>Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison<br/>center/doctor. Wash contaminated clothing before reuse.Storage<br/>DisposalStore in a well-ventilated place. Keep container tightly closed. Store locked up.<br/>Dispose of contents/container in accordance with local/regional/national/international regulations.Hazard(s) not otherwise<br/>classified (HNOC)None known.

Material name: Prizm Gold		SDS US	
2611	Version #: 01	Issue date: 04-28-2021	1/8

#### Supplemental information

5.94% of the mixture consists of component(s) of unknown acute dermal toxicity. 11.7% of the mixture consists of component(s) of unknown acute inhalation toxicity. 13.44% of the mixture consists of component(s) of unknown acute hazards to the aquatic environment. 13.44% of the mixture consists of component(s) of unknown long-term hazards to the aquatic environment.

# 3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
2-(2-Butoxyethoxy)ethanol		112-34-5	5 - < 10
DISODIUM METASILICATE		6834-92-0	1 - < 3
D-limonene Untreated		5989-27-5	< 1
Propan-2-ol (Isopropyl Alcohol)		67-63-0	< 1
Tetrasodium Ethylenediaminetetraacetate		64-02-8	< 1
Sodium Hydroxide		1310-73-2	< 0.1
Other components below reportable I	evels		90 - 100

\*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

# 4. First-aid measures

Inhalation	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.
Skin contact	Take off immediately all contaminated clothing. Rinse skin with water/shower. Call a physician or poison control center immediately. Chemical burns must be treated by a physician. Wash contaminated clothing before reuse.
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician or poison control center immediately.
Ingestion	Call a physician or poison control center immediately. Rinse mouth. Do not induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.
Most important symptoms/effects, acute and delayed	Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. May cause respiratory irritation.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Chemical burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Keep victim warm. Keep victim under observation. Symptoms may be delayed.
General information	If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.
5. Fire-fighting measures	
Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire fighting equipment/instructions	Move containers from fire area if you can do so without risk.

Use standard firefighting procedures and consider the hazards of other involved materials. Specific methods General fire hazards No unusual fire or explosion hazards noted.

# 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not breathe mist or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained.

Material name: Prizm Gold		SDS US	
2611	Version #: 01	Issue date: 04-28-2021	2 / 8

Methods and materials for containment and cleaning up	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.
	Never return spills to original containers for re-use.
Environmental precautions	Avoid discharge into drains, water courses or onto the ground.
7. Handling and storage	
Precautions for safe handling	Do not breathe mist or vapor. Do not get in eyes, on skin, or on clothing. Do not taste or swallow. Avoid prolonged exposure. When using, do not eat, drink or smoke. Provide adequate ventilation. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Observe good industrial hygiene practices.
Conditions for safe storage, including any incompatibilities	Store locked up. Store in original tightly closed container.

# 8. Exposure controls/personal protection

# **Occupational exposure limits**

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

# US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components		Туре	,	Value	
Propan-2-ol (Isopropyl Alcohol) (CAS 67-63-0)		PEL		980 mg/m3	
				400 ppm	
Sodium Hydroxide (CAS 1310-73-2)		PEL		2 mg/m3	
US. ACGIH Threshold Li	mit Values				
Components		Туре		Value	Form
2-(2-Butoxyethoxy)ethanc (CAS 112-34-5)	I	TWA		10 ppm	Inhalable fraction and vapor.
Propan-2-ol (Isopropyl Alcohol) (CAS 67-63-0)		STEL		400 ppm	
		TWA		200 ppm	
Sodium Hydroxide (CAS 1310-73-2)		Ceiling		2 mg/m3	
US. NIOSH: Pocket Guid	le to Chemical Ha	zards			
Components		Туре		Value	
Propan-2-ol (Isopropyl Alcohol) (CAS 67-63-0)		STEL		1225 mg/m3	
				500 ppm	
		TWA		980 mg/m3	
				400 ppm	
Sodium Hydroxide (CAS 1310-73-2)		Ceiling		2 mg/m3	
ological limit values					
ACGIH Biological Expos	ure Indices				
Components	Value	Determinant	Specimen	Sampling T	ime
Propan-2-ol (Isopropyl Alcohol) (CAS 67-63-0)	40 mg/l	Acetone	Urine	*	
* - For sampling details, p	lease see the sourc	ce document.			
propriate engineering ntrols	should be ma or other engin exposure lim	neering controls to mainta	plicable, use p ain airborne lev shed, maintain	vels below recomi airborne levels to	s, local exhaust ventilation, mended exposure limits. If an acceptable level. Eye
lividual protection measu	res, such as perso	onal protective equipme	ent		
Eye/face protection	Wear safety	glasses with side shields	(or goggles) a	nd a face shield.	

Material name: Prizm Gold		SDS US	
2611	Version #: 01	Issue date: 04-28-2021	3 / 8

Skin protection	
Hand protection	Wear appropriate chemical resistant gloves.
Other	Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.
Respiratory protection	In case of insufficient ventilation, wear suitable respiratory equipment. Chemical respirator with organic vapor cartridge.
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.
General hygiene considerations	Keep away from food and drink. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

# 9. Physical and chemical properties

Appearance	Clear.
Physical state	Liquid.
Form	Liquid.
Color	Gold.
Odor	Citrus
Odor threshold	Not available.
рН	12.8
Melting point/freezing point	300.39 °F (149.1 °C) estimated
Initial boiling point and boiling range	446.72 °F (230.4 °C) estimated
Flash point	> 200.0 °F (> 93.3 °C)
Evaporation rate	Not available.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or exp	losive limits
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	0.002 hPa estimated
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	5 cP
Viscosity temperature	68 °F (20 °C)
Other information	
Density	8.60 lb/gal
Explosive properties	Not explosive.
Flammability class	Combustible IIIB estimated
Kinematic viscosity	4.8 cSt
Kinematic viscosity temperature	68 °F (20 °C)
Oxidizing properties	Not oxidizing.
VOC	0.43 % w/w @ 1:1 dilution

Material name: Prizm Gold		SDS US	
2611	Version #: 01	Issue date: 04-28-2021	4 / 8

# 10. Stability and reactivity

Reactivity	Reacts violently with strong acids. This product may react with oxidizing agents.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	Hazardous polymerization does not occur.
Conditions to avoid	Avoid temperatures exceeding the flash point. Contact with incompatible materials. Do not mix with other chemicals.
Incompatible materials	Acids. Oxidizing agents.
Hazardous decomposition products	No hazardous decomposition products are known.

# 11. Toxicological information

#### Information on likely routes of exposure

Inhalation	May cause irritation to the respiratory system. Prolonged inhalation may be harmful.		
Skin contact	Causes severe skin burns.		
Eye contact	Causes serious eye damage.		
Ingestion	Causes digestive tract burns. Harmful if swallowed.		
Symptoms related to the physical, chemical and toxicological characteristics	Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. May cause respiratory irritation.		

#### Information on toxicological effects

Acute toxicity	
----------------	--

In high concentrations, vapors are anesthetic and may cause headache, fatigue, dizziness and central nervous system effects. Harmful if swallowed.

	contrai noi vous system chects. Hanni	
Components	Species	Test Results
2-(2-Butoxyethoxy)ethanol (CAS	112-34-5)	
<u>Acute</u>		
Dermal		
LD50	Rabbit	2700 mg/kg
Oral		
LD50	Rat	4500 mg/kg
Propan-2-ol (Isopropyl Alcohol) (C	CAS 67-63-0)	
<u>Acute</u>		
Oral		
LD50	Rat	4.7 g/kg
* Estimates for product may b	be based on additional component data n	ot shown.
Skin corrosion/irritation	Causes severe skin burns and eye da	nage.
Serious eye damage/eye irritation	Causes serious eye damage.	
Respiratory or skin sensitizatio	n	
<b>Respiratory sensitization</b>	Not a respiratory sensitizer.	
Skin sensitization	This product is not expected to cause	skin sensitization.
Germ cell mutagenicity	No data available to indicate product o mutagenic or genotoxic.	r any components present at greater than 0.1% are
Carcinogenicity	Not classifiable as to carcinogenicity to	humans.

#### Carcinogenicity

Not classifiable as to carcinogenicity to humans.

#### IARC Monographs. Overall Evaluation of Carcinogenicity

D-limonene Untreated (CAS 5989-27-5) 3 Not classifiable as to carcinogenicity to humans.

#### OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

#### US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

**Reproductive toxicity** This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity - May cause respiratory irritation.

# single exposure

 Material name: Prizm Gold
 SDS US

 2611
 Version #: 01
 Issue date: 04-28-2021
 5 / 8

Specific target organ toxicity - repeated exposure	Not classified.
Aspiration hazard	Not an aspiration hazard.
Chronic effects	Prolonged inhalation may be harmful.

# 12. Ecological information

Ecotoxicity

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Components		Species	Test Results
2-(2-Butoxyethoxy)ethanol (CA	AS 112-34-5)		
Aquatic			
Fish	LC50	Bluegill (Lepomis macrochirus)	1300 mg/l, 96 hours
DISODIUM METASILICATE (	CAS 6834-92-0)		
Aquatic			
Crustacea	EC50	Water flea (Ceriodaphnia dubia)	0.28 - 0.57 mg/l, 48 hours
Fish	LC50	Western mosquitofish (Gambusia affinis)	1800 mg/l, 96 hours
D-limonene Untreated (CAS 5	989-27-5)		
Aquatic			
Crustacea	EC50	Water flea (Daphnia pulex)	69.6 mg/l, 48 hours
Fish	LC50	Fathead minnow (Pimephales promelas)	0.619 - 0.796 mg/l, 96 hours
Propan-2-ol (Isopropyl Alcohol	) (CAS 67-63-0	)	
Aquatic	, ,		
Fish	LC50	Bluegill (Lepomis macrochirus)	> 1400 mg/l, 96 hours
Sodium Hydroxide (CAS 1310	-73-2)		
Aquatic			
Fish	LC50	Western mosquitofish (Gambusia affinis)	125 mg/l, 96 hours
Tetrasodium Ethylenediamine	etraacetate (CA	AS 64-02-8)	
Aquatic			
Fish	LC50	Bluegill (Lepomis macrochirus)	472 - 500 mg/l, 96 hours
* Estimates for and lat may be	hood on odd:	tional common at data not chown	
		tional component data not shown. Mable on the degradability of this product.	
sistence and degradability	NU Udid IS dva	mable of the degradability of this product.	
accumulative potential			
Partition coefficient n-octane 2-(2-Butoxyethoxy)ethanol	ol / water (log r	0.56	
D-limonene Untreated		4.232	
Propan-2-ol (Isopropyl Alcohol	)	0.05	
bility in soil	No data availa	ıble.	
er adverse effects		rse environmental effects (e.g. ozone deplo ocrine disruption, global warming potential)	•
. Disposal consideratior	IS		
posal instructions	Collect and re	claim or dispose in sealed containers at lice	· · ·

	contents/container in accordance with local/regional/national/international regulations.
l disposal regulations	Dispose in accordance with all applicable regulations.

Local disposal regulations	Dispose in accordance with all applicable regulations.
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

Material name: Prizm Gold		SDS US	
2611	Version #: 01	Issue date: 04-28-2021	6 / 8

# 14. Transport information

#### DOT

Not regulated as dangerous goods.

### ΙΑΤΑ

Not regulated as dangerous goods.

# IMDG

Not regulated as dangerous goods.

Transport in bulk according toNot established.Annex II of MARPOL 73/78 andthe IBC Code

# 15. Regulatory information

**US federal regulations** This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

Listed.

# TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Sodium Hydroxide (CAS 1310-73-2)

SARA 304 Emergency release notification

Not regulated.

# OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

#### Superfund Amendments and Reauthorization Act of 1986 (SARA)

#### SARA 302 Extremely hazardous substance

Not listed.

Classified hazard	Acute toxicity (any route of exposure)
categories	Skin corrosion or irritation
0	Serious eye damage or eye irritation
	Specific target organ toxicity (single or repeated exposure)

# SARA 313 (TRI reporting)

Not regulated.

# Other federal regulations

# Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act Not regulated.

# (SDWA)

# FEMA Priority Substances Respiratory Health and Safety in the Flavor Manufacturing Workplace

Propan-2-ol (Isopropyl Alcohol) (CAS 67-63-0) Low priority

#### **US state regulations**

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

# **California Proposition 65**

# US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))

Propan-2-ol (Isopropyl Alcohol) (CAS 67-63-0)

#### Sodium Hydroxide (CAS 1310-73-2)

#### **International Inventories**

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Material name: Prizm Gold		SDS US
2611 Version #: 01 Issue date	: 04-28-2021	7 / 8

Country(s) or region	Inventory name	On inventory (yes/no)*
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Toxic Chemical Substances (TCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

# 16. Other information, including date of preparation or last revision

Issue date	04-28-2021
Version #	01
Disclaimer	Malco Products, Inc. cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Materia	al name: Prizm	Gold	SDS US
2611	Version #: 01	Issue date: 04-28-2021	8 / 8